Brain Research, 562 (1991) 356–357
Elsevier

Author Index

Akaike, N., see Shirasaki, T., 329 , 344
Akema, T. and Kimura, F., The mode of $GABA_B$ receptor-mediated inhibition of the preovulatory luteinizing hormone surge in female rats, 169
Almaraz, L., see Dinger, B.G., 190
Anderson, J.H., see Kaufman, G.D., 311
Anderson, K.J., Bridges, R.J. and Cotman, C.W., Increased density of excitatory amino acid transport sites in the hippocampal formation following an entorhinal lesion, 285
Anwyl, R., see McGuinness, N., 335
Arai, R. and Calas, A., Ultrastructural localization of galanin immunoreactivity in the rat median eminence, 339
Armstrong, W.E. and Tian, M., Separate ultrastructural distributions of neurophysin and C-terminal glycopeptide within dense core vesicles in rat neural lobe, 144
Aroniadou, V.A. and Teyler, T.J., The role of NMDA receptors in long-term potentiation (LTP) and depression (LTD) in rat visual cortex, 136

Baba, H., see Inuzuka, T., 173
Bachoo, M., see Maher, E., 258
Barkley, G.L., see Takanashi, Y., 13
Beal, M.F., see Finn, S.F., 276
Beitz, A., see Kaufman, G.D., 311
Berger, T.W., see Robinson, G.B., 17
Bessert, D., see Grammas, P., 93
Billington, C.J., see Levine, A.S., 281
Bishai, I., see Dinarello, C.A., 199
Blatteis, C.M., see Shibata, M., 323
Blunt, S., see Takeuchi, Y., 301
Bridges, R.J., see Anderson, K.J., 285

Calas, A., see Arai, R., 339
Callaway, J., see Morrison, S.F., 126
Cannon, J.G., see Dinarello, C.A., 199
Cernacek, P., see Maher, E., 258
Chen, Q., see Takanashi, Y., 13
Chopp, M., see Takanashi, Y., 13
Coceani, F., see Dinarello, C.A., 199
Collewijn, H., see Tan, H.S., 207
Colpaert, F.C., see Mavridis, M., 216
Cotman, C.W., see Anderson, K.J., 285

Day, R., see Ruzicka, B.B., 117
DeFelipe, J. and Jones, E.G., Parvalbumin immunoreactivity reveals layer IV of monkey cerebral cortex as a mosaic of microzones of thalamic afferent terminations, 39
Denenberg, V.H., Sherman, G.F., Schrott, L.M., Rosen, G.D. and Galaburda, A.M., Spatial learning, discrimination learning, paw preference and neocortical ectopias in two autoimmune strains of mice, 98
Dickenson, A.H., see Sullivan, A.F., 327
Dinarello, C.A., Cannon, J.G., Mancilla, J., Bishai, I., Lees, J. and Coceani, F., Interleukin-6 as an endogenous pyrogen: induction of prostaglandin E_2 in brain but not in peripheral blood mononuclear cells, 199
Dinger, B.G., Almaraz, L., Hirano, T., Yoshizaki, K., Gonzalez, C., Gomez-Niño, A. and Fidone, S.J., Muscarinic receptor localization and function in rabbit carotid body, 190

Edwards, S.R., see Smythe, G.A., 225
Ekström, P., see Meissl, H., 71

Falkenstein, G., see Leonhardt, S., 105
Feldman, E.L. and Randolph, A.E., Mannose 6-phosphate potentiates insulin-like growth factor II effects in cultured human neuroblastoma cells, 111
Fidone, S.J., see Dinger, B.G., 190
Finn, S.F., Hyman, B.T., Storey, E., Miller, J.M. and Beal, M.F., Effects of aging on quinolinic acid lesions in rat striatum, 276
Florack, V.J., see Watt, C.B., 154
Frederickson, C.J., see Howell, G.A., 181
Fredman, S.M., Enhanced synaptic transmission at identified synaptic connections in the cerebral ganglion of *Aplysia*, 291
Fritschy, J.-M., Frondoza, C.G. and Grzanna, R., Differential effects of reserpine on brainstem catecholaminergic neurons revealed by Fos protein immunohistochemistry, 48
Frondoza, C.G., see Fritschy, J.-M., 48
Fujita, N., see Inuzuka, T., 173
Fuxe, K., see Grenhoff, J., 347

Galaburda, A.M., see Denenberg, V.H., 98
Gerstner, G.E. and Goldberg, L.J., Genioglossus EMG activity during rhythmic jaw movements in the anesthetized guinea pig, 79
Giacomelli, F., see Grammas, P., 93
Gnegy, M.E., Keikilani Hewlett, G.H., Yee, S.L. and Welsh, M.J., Alterations in calmodulin content and localization in areas of rat brain after repeated intermittent amphetamine, 6
Goldberg, L.J., see Gerstner, G.E., 79
Goldberg, S.R., see Marley, R.J., 251
Gomez-Niño, A., see Dinger, B.G., 190
Gonzalez, C., see Dinger, B.G., 190
Grace, M., see Levine, A.S., 281
Grammas, P., Giacomelli, F., Bessert, D. and Wiener, J., Angiotensin II and atrial natriuretic factor receptor interactions at the blood–brain barrier, 93
Grenhoff, J., Janson, A.M., Svensson, T.H. and Fuxe, K., Chronic continuous nicotine treatment causes decreased burst firing of nigral dopamine neurons in rats partially hemitransected at the mesodiencephalic junction, 347
Grzanna, R., see Fritschy, J.-M., 48

Harata, N., see Shirasaki, T., 329 , 344
Hart, G.J., see Masukawa, L.M., 176
Herbert, H., see Kandler, K., 230
Higashima, M., see Masukawa, L.M., 176
Hirano, T., see Dinger, B.G., 190
Hong, J.-S., see Xie, C.-W., 243
Howell, G.A., Perez-Clausell, J. and Frederickson, C.J., Zinc containing projections to the bed nucleus of the stria terminalis, 181
Howson, W., see Seabrook, G.R., 332
Hyman, B.T., see Finn, S.F., 276

Inuzuka, T., Fujita, N., Sato, S., Baba, H., Nakano, R., Ishiguro, H. and Miyatake, T., Expression of the large myelin-associated glycoprotein isoform during the development in the mouse peripheral nervous system, 173
Irtenkauf, S.M., see Tieman, S.B., 318
Ishiguro, H., see Inuzuka, T., 173

Janson, A.M., see Grenhoff, J., 347
Jarry, H., see Leonhardt, S., 105
Jenner, P., see Takeuchi, Y., 301
Jhamandas, K., see Ruzicka, B.B., 117
Jiang, M., see Kangrga, I., 265
Johanson, C.E., see Smith, Q.R., 306
Jones, E.G., see DeFelipe, J., 39

Kadoya, F., see Mitani, A., 159
Kalso, E.A., see Sullivan, A.F., 327
Kandler, K. and Herbert, H., Auditory projections from the cochlear nucleus to pontine and mesencephalic reticular nuclei in the rat, 230
Kangrga, I., Jiang, M. and Randić, M., Actions of (–)-baclofen on rat dorsal horn neurons, 265
Kataoka, K., see Mitani, A., 159
Katayama, Y., Tsubokawa, T., Koshinaga, M. and Miyazaki, S., Temporal pattern of survival and dendritic growth of fetal hippocampal cells transplanted into ischemic lesions of the adult rat hippocampus, 352
Kaufman, G.D., Anderson, J.H. and Beitz, A., Activation of a specific vestibulo-olivary pathway by centripetal acceleration in rat, 311
Keikilani Hewlett, G.H., see Gnegy, M.E., 6
Kentroti, S. and Vernadakis, A., Growth hormone-releasing hormone and somatostatin influence neuronal expression in developing chick brain. III. GABAergic neurons, 34
Khansa, M.R., see Wolf, M.E., 164
Kihara, M., Nickander, K.K. and Low, P.A., The effect of aging on endoneurial

Brain Research, 562 (1991) 356–357
Elsevier

Author Index

Akaike, N., see Shirasaki, T., 329 , 344
Akema, T. and Kimura, F., The mode of $GABA_B$ receptor-mediated inhibition of the preovulatory luteinizing hormone surge in female rats, 169
Almaraz, L., see Dinger, B.G., 190
Anderson, J.H., see Kaufman, G.D., 311
Anderson, K.J., Bridges, R.J. and Cotman, C.W., Increased density of excitatory amino acid transport sites in the hippocampal formation following an entorhinal lesion, 285
Anwyl, R., see McGuinness, N., 335
Arai, R. and Calas, A., Ultrastructural localization of galanin immunoreactivity in the rat median eminence, 339
Armstrong, W.E. and Tian, M., Separate ultrastructural distributions of neurophysin and C-terminal glycopeptide within dense core vesicles in rat neural lobe, 144
Aroniadou, V.A. and Teyler, T.J., The role of NMDA receptors in long-term potentiation (LTP) and depression (LTD) in rat visual cortex, 136

Baba, H., see Inuzuka, T., 173
Bachoo, M., see Maher, E., 258
Barkley, G.L., see Takanashi, Y., 13
Beal, M.F., see Finn, S.F., 276
Beitz, A., see Kaufman, G.D., 311
Berger, T.W., see Robinson, G.B., 17
Bessert, D., see Grammas, P., 93
Billington, C.J., see Levine, A.S., 281
Bishai, I., see Dinarello, C.A., 199
Blatteis, C.M., see Shibata, M., 323
Blunt, S., see Takeuchi, Y., 301
Bridges, R.J., see Anderson, K.J., 285

Calas, A., see Arai, R., 339
Callaway, J., see Morrison, S.F., 126
Cannon, J.G., see Dinarello, C.A., 199
Cernacek, P., see Maher, E., 258
Chen, Q., see Takanashi, Y., 13
Chopp, M., see Takanashi, Y., 13
Coceani, F., see Dinarello, C.A., 199
Collewijn, H., see Tan, H.S., 207
Colpaert, F.C., see Mavridis, M., 216
Cotman, C.W., see Anderson, K.J., 285

Day, R., see Ruzicka, B.B., 117
DeFelipe, J. and Jones, E.G., Parvalbumin immunoreactivity reveals layer IV of monkey cerebral cortex as a mosaic of microzones of thalamic afferent terminations, 39
Denenberg, V.H., Sherman, G.F., Schrott, L.M., Rosen, G.D. and Galaburda, A.M., Spatial learning, discrimination learning, paw preference and neocortical ectopias in two autoimmune strains of mice, 98
Dickenson, A.H., see Sullivan, A.F., 327
Dinarello, C.A., Cannon, J.G., Mancilla, J., Bishai, I., Lees, J. and Coceani, F., Interleukin-6 as an endogenous pyrogen: induction of prostaglandin E_2 in brain but not in peripheral blood mononuclear cells, 199
Dinger, B.G., Almaraz, L., Hirano, T., Yoshizaki, K., Gonzalez, C., Gomez-Niño, A. and Fidone, S.J., Muscarinic receptor localization and function in rabbit carotid body, 190

Edwards, S.R., see Smythe, G.A., 225
Ekström, P., see Meissl, H., 71

Falkenstein, G., see Leonhardt, S., 105
Feldman, E.L. and Randolph, A.E., Mannose 6-phosphate potentiates insulin-like growth factor II effects in cultured human neuroblastoma cells, 111
Fidone, S.J., see Dinger, B.G., 190
Finn, S.F., Hyman, B.T., Storey, E., Miller, J.M. and Beal, M.F., Effects of aging on quinolinic acid lesions in rat striatum, 276
Florack, V.J., see Watt, C.B., 154
Frederickson, C.J., see Howell, G.A., 181
Fredman, S.M., Enhanced synaptic transmission at identified synaptic connections in the cerebral ganglion of *Aplysia*, 291
Fritschy, J.-M., Frondoza, C.G. and Grzanna, R., Differential effects of reserpine on brainstem catecholaminergic neurons revealed by Fos protein immunohistochemistry, 48
Frondoza, C.G., see Fritschy, J.-M., 48
Fujita, N., see Inuzuka, T., 173
Fuxe, K., see Grenhoff, J., 347

Galaburda, A.M., see Denenberg, V.H., 98
Gerstner, G.E. and Goldberg, L.J., Genioglossus EMG activity during rhythmic jaw movements in the anesthetized guinea pig, 79
Giacomelli, F., see Grammas, P., 93
Gnegy, M.E., Keikilani Hewlett, G.H., Yee, S.L. and Welsh, M.J., Alterations in calmodulin content and localization in areas of rat brain after repeated intermittent amphetamine, 6
Goldberg, L.J., see Gerstner, G.E., 79
Goldberg, S.R., see Marley, R.J., 251
Gomez-Niño, A., see Dinger, B.G., 190
Gonzalez, C., see Dinger, B.G., 190
Grace, M., see Levine, A.S., 281
Grammas, P., Giacomelli, F., Bessert, D. and Wiener, J., Angiotensin II and atrial natriuretic factor receptor interactions at the blood–brain barrier, 93
Grenhoff, J., Janson, A.M., Svensson, T.H. and Fuxe, K., Chronic continuous nicotine treatment causes decreased burst firing of nigral dopamine neurons in rats partially hemitransected at the mesodiencephalic junction, 347
Grzanna, R., see Fritschy, J.-M., 48

Harata, N., see Shirasaki, T., 329 , 344
Hart, G.J., see Masukawa, L.M., 176
Herbert, H., see Kandler, K., 230
Higashima, M., see Masukawa, L.M., 176
Hirano, T., see Dinger, B.G., 190
Hong, J.-S., see Xie, C.-W., 243
Howell, G.A., Perez-Clausell, J. and Frederickson, C.J., Zinc containing projections to the bed nucleus of the stria terminalis, 181
Howson, W., see Seabrook, G.R., 332
Hyman, B.T., see Finn, S.F., 276

Inuzuka, T., Fujita, N., Sato, S., Baba, H., Nakano, R., Ishiguro, H. and Miyatake, T., Expression of the large myelin-associated glycoprotein isoform during the development in the mouse peripheral nervous system, 173
Irtenkauf, S.M., see Tieman, S.B., 318
Ishiguro, H., see Inuzuka, T., 173

Janson, A.M., see Grenhoff, J., 347
Jarry, H., see Leonhardt, S., 105
Jenner, P., see Takeuchi, Y., 301
Jhamandas, K., see Ruzicka, B.B., 117
Jiang, M., see Kangrga, I., 265
Johanson, C.E., see Smith, Q.R., 306
Jones, E.G., see DeFelipe, J., 39

Kadoya, F., see Mitani, A., 159
Kalso, E.A., see Sullivan, A.F., 327
Kandler, K. and Herbert, H., Auditory projections from the cochlear nucleus to pontine and mesencephalic reticular nuclei in the rat, 230
Kangrga, I., Jiang, M. and Randić, M., Actions of (–)-baclofen on rat dorsal horn neurons, 265
Kataoka, K., see Mitani, A., 159
Katayama, Y., Tsubokawa, T., Koshinaga, M. and Miyazaki, S., Temporal pattern of survival and dendritic growth of fetal hippocampal cells transplanted into ischemic lesions of the adult rat hippocampus, 352
Kaufman, G.D., Anderson, J.H. and Beitz, A., Activation of a specific vestibulo-olivary pathway by centripetal acceleration in rat, 311
Keikilani Hewlett, G.H., see Gnegy, M.E., 6
Kentroti, S. and Vernadakis, A., Growth hormone-releasing hormone and somatostatin influence neuronal expression in developing chick brain. III. GABAergic neurons, 34
Khansa, M.R., see Wolf, M.E., 164
Kihara, M., Nickander, K.K. and Low, P.A., The effect of aging on endoneurial

blood flow, hyperemic response and oxygen-free radicals in rat sciatic nerve, 1
Kim, J., see Takanashi, Y., 13
Kimura, F., see Akema, T., 169
Knapp, C., see Unterwald, E.M., 57
Koshinaga, M., see Katayama, Y., 352

Lacey, M.G., see Seabrook, G.R., 332
Lappi, D.A., see Wiley, R.G., 149
Lee, P.H.K., see Xie, C.-W., 243
Lees, J., see Dinarello, C.A., 199
Leonhardt, S., Jarry, H., Falkenstein, G., Palmer, J. and Wuttke, W., LH release in ovariectomized rats is maintained without noradrenergic neurotransmission in the preoptic/anterior hypothalamic area: extreme functional plasticity of the GnRH pulse generator, 105
Levine, A.S., Grace, M. and Billington, C.J., β-Funaltrexamine (β-FNA) decreases deprivation and opioid-induced feeding, 281
Levine, S.R., see Takanashi, Y., 13
Low, P.A., see Kihara, M., 1

Maher, E., Bachoo, M., Cernacek, P. and Polosa, C., Dynamics of neurotensin stores in the stellate ganglion of the cat, 258
Mancilla, J., see Dinarello, C.A., 199
Marley, R.J., Witkin, J.M. and Goldberg, S.R., A pharmacogenetic evaluation of the role of local anesthetic actions in the cocaine kindling process, 251
Marsden, C.D., see Takeuchi, Y., 301
Masukawa, L.M., Higashima, M., Hart, G.J., Spencer, D.D. and O'Connor, M.J., NMDA receptor activation during epileptiform responses in the dentate gyrus of epileptic patients, 176
Mavridis, M., Colpaert, F.C. and Millan, M.J., Differential modulation of (+)-amphetamine-induced rotation in unilateral substantia nigra-lesioned rats by α_1 as compared to α_2 agonists and antagonists, 216
McGinty, J.F., see Xie, C.-W., 243
McGuinness, N., Anwyl, R. and Rowan, M., Inhibition of an *N*-methyl-D-aspartate induced short-term potentiation in the rat hippocampal slice, 335
McQuay, H.J., see Sullivan, A.F., 327
Meissl, H. and Ekström, P., Action of γ-aminobutyric acid (GABA) in the isolated photosensory pineal organ, 71
Millan, M.J., see Mavridis, M., 216
Miller, J.M., see Finn, S.F., 276
Milner, T.A., see Morrison, S.F., 126
Mitani, A., Kadoya, F. and Kataoka, K., Temperature dependence of hypoxia-induced calcium accumulation in gerbil hippocampal slices, 159
Mitchell, C.L., see Xie, C.-W., 243
Miyatake, T., see Inuzuka, T., 173
Miyazaki, S., see Katayama, Y., 352
Moffet, J.R., see Tieman, S.B., 318
Moran, J.E., see Takanashi, Y., 13
Morrison, S.F., Callaway, J., Milner, T.A. and Reis, D.J., Rostral ventrolateral medulla: a source of the glutamatergic innervation of the sympathetic intermediolateral nucleus, 126

Nakano, R., see Inuzuka, T., 173
Nakaye, T., see Shirasaki, T., 329
Nakaye, T., see Shirasaki, T., 344
Nickander, K.K., see Kihara, M., 1

O'Connor, M.J., see Masukawa, L.M., 176
Oeltmann, T.N., see Wiley, R.G., 149
Ouimet, C.C., DARPP-32, a dopamine and cyclic AMP-regulated phosphoprotein, is present in corticothalamic neurons of the rat cingulate cortex, 85

Palmer, J., see Leonhardt, S., 105
Perez-Clausell, J., see Howell, G.A., 181
Polosa, C., see Maher, E., 258
Pompeiano, O., see Tan, H.S., 207

Randić, M., see Kangrga, I., 265
Randolph, A.E., see Feldman, E.L., 111
Reis, D.J., see Morrison, S.F., 126
Robinson, G.B., Kindling-induced potentiation of excitatory and inhibitory inputs to hippocampal dentate granule cells. II. effects of the NMDA antagonist MK-801, 26
Robinson, G.B., Sclabassi, R.J. and Berger, T.W., Kindling-induced potentiation of excitatory and inhibitory inputs to hippocampal dentate granule cells. I. Effects on linear and non-linear response characteristics, 17
Rosen, G.D., see Denenberg, V.H., 98
Rowan, M., see McGuinness, N., 335
Ruzicka, B.B., Day, R. and Jhamandas, K., Quinolinic acid elevates striatal and pallidal Met-enkephalin levels: the role of enkephalin synthesis and release, 117

Sato, S., see Inuzuka, T., 173
Sawada, T., see Takeuchi, Y., 301
Schrott, L.M., see Denenberg, V.H., 98
Sclabassi, R.J., see Robinson, G.B., 17
Seabrook, G.R., Howson, W. and Lacey, M.G., Subpopulations of GABA-mediated synaptic potentials in slices of rat dorsal striatum are differentially modulated by presynaptic $GABA_B$ receptors, 332
Sherman, G.F., see Denenberg, V.H., 98
Shibata, M. and Blatteis, C.M., Human recombinant tumor necrosis factor and interferon affect the activity of neurons in the organum vasculosum laminae terminalis, 323
Shirasaki, T., Harata, N., Nakaye, T. and Akaike, N., Interaction of various non-steroidal anti-inflammatories and quinolone antimicrobials on GABA response in rat dissociated hippocampal pyramidal neurons, 329
Shirasaki, T., Harata, N., Nakaye, T. and Akaike, N., Quinolones do not interact with NMDA receptor in dissociated rat hippocampal neurons, 344
Slivka, A.P., Hypertension and hyperglycemia in experimental stroke, 66
Smith, Q.R. and Johanson, C.E., Chloride efflux from isolated choroid plexus, 306
Smythe, G.A. and Edwards, S.R., A role for central postsynaptic α_2-adrenoceptors in glucoregulation, 225
Spencer, D.D., see Masukawa, L.M., 176
Storey, E., see Finn, S.F., 276
Sullivan, A.F., Kalso, E.A., McQuay, H.J. and Dickenson, A.H., FLFQPQRF-Amide modulates α_2-adrenergic antinociception in the rat dorsal horn in vivo, 327
Svensson, T.H., see Grenhoff, J., 347

Takanashi, Y., Chopp, M., Levine, S.R., Kim, J., Moran, J.E., Tepley, N., Chen, Q., Barkley, G.L.and Welch, K.M.A., Magnetic fields associated with anoxic depolarization in anesthetized rats, 13
Takeuchi, Y., Sawada, T., Blunt, S., Jenner, P. and Marsden, C.D., Effects of 6-hydroxydopamine lesions of the nigrostriatal pathway on striatal serotonin innervation in adult rats, 301
Tan, H.S., Van Neerven, J., Collewijn, H. and Pompeiano, O., Effects of α-noradrenergic substances on the optokinetic and vestibulo-ocular responses in the rabbit: a study with systemic and intraflocular injections, 207
Tepley, N., see Takanashi, Y., 13
Teyler, T.J., see Aroniadou, V.A., 136
Tian, M., see Armstrong, W.E., 144
Tieman, S.B., Moffet, J.R. and Irtenkauf, S.M., Effect of eye removal on *N*-acetylaspartylglutamate immunoreactivity in retinal targets of the cat, 318
Tsubokawa, T., see Katayama, Y., 352

Unterwald, E.M., Knapp, C. and Zukin, R.S., Neuroanatomical localization of κ_1 and κ_2 opioid receptors in rat and guinea pig brain, 57

Van Neerven, J., see Tan, H.S., 207
Vernadakis, A., see Kentroti, S., 34

Watt, C.B. and Florack, V.J., Double-label analyses demonstrating the non-coexistence of enkephalin and glycine in amacrine cells of the larval tiger salamander retina, 154
Welch, K.M.A., see Takanashi, Y., 13
Welsh, M.J., see Gnegy, M.E., 6
Wiener, J., see Grammas, P., 93
Wiley, R.G., Oeltmann, T.N. and Lappi, D.A., Immunolesioning: selective destruction of neurons using immunotoxin to rat NGF receptor, 149
Witkin, J.M., see Marley, R.J., 251
Wolf, M.E. and Khansa, M.R., Repeated administration of MK-801 produces sensitization to its own locomotor stimulant effects but blocks sensitization to amphetamine, 164
Wuttke, W., see Leonhardt, S., 105

Xie, C.-W., McGinty, J.F., Lee, P.H.K., Mitchell, C.L. and Hong, J.-S., A glutamate antagonist blocks perforant path stimulation-induced reduction of dynorphin peptide and prodynorphin mRNA levels in rat hippocampus, 243

Yee, S.L., see Gnegy, M.E., 6
Yoshizaki, K., see Dinger, B.G., 190

Zukin, R.S., see Unterwald, E.M., 57